

Cash Acme™ Air Separator

Cash Acme™ Air Separators are intended for use in heating systems to remove entrapped air from the circulating water. The Cash Acme units incorporate a separating cartridge that traps air and allows it to be vented via the integral air vent at the top of the unit.

Approved Applications

Intended for use with continuous or intermittent applications on water supply lines.


Specification Data

Performance

Maximum Temperature	240 °F
Maximum Pressure	125 psi
Service	Water

Materials

Body	Brass
Spindle	Chrome Plated Brass
O-Ring	EPDM & NBR
Float & Lever	Polypropylene
Spindle Spring	Stainless Steel
Separating Cartridge	Stainless Steel



Dimensions (inches)

Size	Connection Style	Part #	A	B	C	D	E	F
1/2"	Threaded NPT	24077	2-5/8	1-7/8	1	4-1/2	6-1/2	1-1/2
3/4"	Threaded NPT	24078	2-15/16	1-7/8	1	4-9/16	6-3/4	1-5/8
1"	Threaded NPT	24079	3-1/2	1-7/8	1	4-5/8	7	1-7/8
1-1/4"	Threaded NPT	24080	4	1-7/8	1	4-1/2	7-7/32	2-7/64
1-1/2"	Threaded NPT	24081	4-3/8	1-7/8	1	4-1/2	7-3/4	2-11/32
2"	Threaded NPT	24082	5-1/4	1-7/8	1	4-5/8	8-3/8	2-7/8

Product Submittal

Name	
Date	
Architect/Owner	
Contractor	
Tag	
Notes	